




#	Date	Comments
Revisions		

Drawn By: JC
Checked By:
Date: 7/1/2025
Scale: NTS

Walnut Park Residences
Wellesley, MA



12V LED AREA LIGHTS - SOLID BRASS

D17	:: Catalog No.	LA-STEM-BZ	LA-112-BZ	LA-115-BZ	LA-117-BZ
	:: Housing / Finish	Solid Brass - Antique Bronze Finish			
	:: Wattage	3W			
	:: Lumens	200LM			
	:: Voltage	12V AC/DC			
	:: Color Temp	3000K Warm White			
	:: Beam Angle	360°			
	:: Light Source	Integrated SMD LED Tower Heavy			
	:: Lens	Heavy-Duty Clear Glass Lens			
	:: Diameter of Shade	—	5-1/2"	5-3/8"	7-7/8"
	:: Total Height	23"	23"	23"	23"
:: Accessories included		If ordering stem and shade separately, add "-C" to fixture model for shade Example: LA-112-BZ-C (Shade only) + LA-STEM-BZ     Silicon-filled Wire Nuts 8-1/2" Non-metallic Spike 3ft. SPT-2 18AWG Lead Wire LED Tower			
		  			

6" LED RECESSED WAFER ECO



Lifetime:
50,000 hours




Dimmable:
5%



Warranty:
3 years

G-96523



ITEM	G-96523		
DESCRIPTION	S6/16W/R/LED/5CCT	CRI	>90
COLOR TEMP	27, 30, 35, 41, 50k	DIMMABLE	YES
OUTPUT LUMEN	1300	PACK	18
BEAM ANGLE	100	CUTOUT	6.20
WATTAGE	16W	OD	7.20
EQUIV WATTAGE	125W	HIGHT	2.00



● SOFT WHITE 2700K
● WARM WHITE 3000K
● NEUTRAL WHITE 3500K

● COOL WHITE 4100K
● SUPER WHITE 5000K

Dimmer List

BRAND	SERIES	MODEL	LODAL
LUTRON	SKYLARK CONTOUR	LECL-153P	150W
		CTCL-150H	150W
		LGCL-153PHLH	150W
		CTCL-153P	150W
		SCL-153P	150W
		S-600P	600W
	CASETA	PD-6WCL	150W
		PD-5NE	150W
		PD-10NXD	250W
	DIVA	DVCL-153P	150W

BRAND	SERIES	MODEL	LODAL
LUTRON	TOGGLER	TGCL-153P	150W
	ARIADNI	AYCL-153P	150W
	MAESTRO	MACL-153M	600W
	ILLUMATECH	IPL06	150W
LEVITON	SURESLIDE	6672	150W
		6674	150W
EATON	SMART DIMMER	AAL06	300W
PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
GE	ROCKER	10464	150W
	TOGGLER	18027	150W

Trim Replacements for 6"

Black	Nickel	Bronze	Brass	Red	Orange	Yellow	Green	Blue	Rose Blush
									
G-48379	G-48380	G-48381	G-48408	G-23760	G-23761	G-23762	G-23763	G-23764	G-23765
T6/R/COVER/BLACK	T6/R/COVER/NICKEL	T6/R/COVER/BRONZE	T6/R/COVER/BRASS	T6/R/COVER/RED	T6/R/COVER/ORANGE	T6/R/COVER/YELLOW	T6/R/COVER/GREEN	T6/R/COVER/BLUE	T6/R/COVER/ROSE

Accessories



Emergency LED Driver

15W G-48410 60W G-95521
30W G-48411 25W G-95525



Extension Cords

G-20247 5ft G-20248 10ft
G-19822 20ft G-19823 30ft



New Construction Plate



G-96521 Use Item G-19969 / 1 Punch Outs



Multi Driver Converter

Use with G-95824 10W

Dimensions





TRANS GLOBE
L I G H T I N G


(818) 768-5511
(800) 446-9092
hello@tglighting.com
USA

Job Type :
Job Name :
Company :
Quantity :



LED-50161 Taylor


Finish	Black
Finish Code	BK
Fixture Dimensions	6.6W x 11.8MH x 8.7D
Bulb Type	Integrated LED
Number of bulbs	1
Bulbs included	No
Wattage	9
Voltage	120
Location Rating	Wet
Total Lumens	900
Dimmable	Yes
Shade Type	Seeded Glass
Illumination Direction	Ambient





DIMENSIONS:

3.125" x 1.625"



LS-180-BZ

STEP LIGHTS WITH LED LAMPS

Ideal for walkway and pathway, stairway and more.

ELECTRICAL SPECIFICATIONS:

- Voltage: 12V AC/DC
- Wattage: 3W
- Efficacy: 100LM/W

HOUSING SPECIFICATIONS:

- Solid Brass, Antique Bronze Finish
- 3FT. STP-2 18AWG lead wire
- Silicon-filled Wire Nuts
- IP rating: IP67, Wet Locations

CERTIFICATIONS:



ACCESSORIES INCLUDED:



Silicon-filled Wire Nuts



3ft. SPT-2 18AWG Lead Wire



LED JC G4 corn lamp Bi-pin

LIGHTING SPECIFICATIONS:

- Light Source: LED JC G4 corn lamp Bi-pin
- Lens: Glass Lens
- Total lumens: 300LM
- Color Temperature: 3000K
- Beam Angle: 80°

WARRANTY: 3 years

